AUTHOR INDEX, VOLUME XXXIII

Alexander, P., and Fox, M.: Degradation of polymethacrylic acid by substances which are undergoing aerial oxidation, 493

Allen, P. E. M., Burnett, G. M., Hastings, G. W., Melville, H. W., and Ovenall, D. W.: The degradation of polymer molecules in solution under the influence of ultrasonic waves. Part II. The rate equation and the limiting degree of polymerization, 213

——: see Ovenall, D. W.

Andrews, E. H., and Walsh, A.: The rupture process in carbon-loaded rubbers: An electron-microscopic investigation, 39

Asakura, S., and Oosawa, F.: Interaction between particles suspended in solutions of macromolecules, 183

Bawn, C. E. H., Ledwith, A., and Matthies, P.: Preparation and properties of polybenzylidene, 21

Baysal, B.: Initiation of polymerization by cyclic peroxides, 381

Beaman, R. G.: see Shashoua, V. E.

Beek, L. K. H. van: Purification and viscosity experiments on gum arabic, 463

Berge, P. C. van: see Evelyn, S. R.

Brass, P. D.: see Roe, C. P.

Budelman, H.: see Moos, G. E.

Bueche, F.: Tensile strength of filled GR-S vulcanizates, 259

Burnett, G. M.: see Allen, P. E. M.

Butta, E., and Charlesby, A.: Dynamic mechanical properties of irradiated polyethylene, 119

Calderon, N.: see Zilkha, A.

Charlesby, A.: see Butta, E.

Chen, P.-F.: see Moos, G. E.

Chinai, S. N., Resnick, A. L., and Lee, H. T.: Poly-*n*-octyl methacrylate. V. Dilute solution properties by viscosity and light scattering, 471

Coleman, L. E., Jr.: see Jones, F. B.

Coleman, R. J.: see Marvel, C. S.

Cooper, D. R.: see Evelyn, S. R.

Cragg, L. H.: see Manson, J. A.

Daniels, W. W., and Kitson, R. E.: Infrared spectroscopy of polyethylene terephthalate, 161

Dannenberg, H.: Measurement of adhesion by a blister method, 509

Evelyn, S. R., Cooper, D. R., and Berge, P. C. van: A comparative molecular weight study with particular reference to black wattle tannins, 53

Fee, J. G., Port, W. S., and Witnauer, L. P.: Molecular weight–viscosity relationship of gamma-irradiated octadecyl vinyl ether and octadecyl methacrylate, 95

Fordham, J. W. L., and Strum, C. L.: Mechanism of trialkylboron initiated polymerization, 503

Fox, M.: see Alexander, P.

Frankel, M.: see Zilkha, A.

Grassie, N., and McNeill, I. C.: Thermal degradation of polymethacrylonitrile. IV. Formation and decomposition of ketene-imine structures, 171

Harrap, B. S., and Woods, E. F.: Some properties of bovine serum albumin in formic acid, 521

Hastings, G. W.: see Allen, P. E. M.

——: see Ovenall, D. W.

Higashimura, T.: see Okamura, S.

——: see Sakurada, Y.

Hittmair, P., Mark, H. F., and Ullman, R.: Stress cracking in polyethylene, 505

Hobson, R. W.: see Marvel, C. S.

Hoff, B. M. E. van der: The gel effect at low conversions in emulsion polymerization, 487

Hyde, A. J., Ryan, J. H., Wall, F. T., and Schatzki, T. F.: An excluded volume effect in light scattering, 129

Ihrig, J. L., and Wong, R. K. L.: On the mechanism of polymerization retardation by aromatic nitro compounds, 457

Imai, K.: see Matsumoto, M.

Imanishi, A.: see Isemura, T.

Imanishi, Y.: see Okamura, S.

Isemura, T., and Imanishi, A.: The dissolution of water-insoluble polymers in the surfactant solution. The polyelectrolyte-like behavior of the dissolved polymers, 337

Jones, F. B., Coleman, L. E., Jr., and Stickney, P. B.: α,β-Unsaturated ketones. III. Copolymers of perfluoroalkyl propenyl ketones with dienes, 405

Jones, J. F.: Cyclopolymerization. I. Polydiacrylylmethane, 7

——: Cyclopolymerization. II. Polyacrylic anhydride, 15

——: Cyclopolymerization. III. Polyalloocimene, 513

Kern, R. J.: Polymer-polymer-solvent systems: The anomalous behavior of poly(alkyl methacrylates) with poly(vinyl chloride), 524

Khoury, F.: The formation of negatively birefringent spherulites in polyhexamethylene adipamide (nylon 66), 389

Kitson, R. E.: see Daniels, W. W.

Kockelbergh, G., and Smets, G.: Ionic grafting, 227

Koppehele, H. P.: see Passaglia, E.

Laakso, T. M.: see Unruh, C. C.

Ledwith, A.: see Bawn, C. E. H.

Lee, H. T.: see Chinai, S. N.

Lewis, C. W.: The pyrolysis of dimethylpolysiloxanes, 153

McNeill, I. C.: see Grassie, N.
Manson, J. A., and Cragg, L. H.: A study of graft copolymers. II. Viscosity and light-scattering measurements, 193
Mark, H. F.: see Hittmair, P.
Marvel, C. S., Schwen, R., Hobson, R. W., and Coleman, R. J.: Polymers and copolymers of hydronopyl acrylate, 27
Matsumoto, M., and Imai, K.: Viscosity of dilute solutions of polyvinyl alcohol, *errata*, 486
Matthies, P.: see Bawn, C. E. H.
Melville, H. W.: see Allen, P. E. M.
Menčík, Z.: Polyvinyl chloride-solvent interaction, 500
Merrill, E. W.: see Storey, B. T.
Moore, C. B., and Vonnegut, B.: Effect of low temperature on the leakage of charge from irradiated methyl methacrylate blocks, 491
Moos, G. E., Budelman, H., and Chen, P.-F.: Inhibition in the polymerization of *N*-carboxyglycine anhydride, 273
Mostafa, M. A. K.: Degradation of addition polymers by ultrasonic waves. V. Effect of initial average chain length, 295
——: Degradation of addition polymers by ultrasonic waves. VI. Effect of frequency, 311
——: A mechanism of degradation of long chain molecules by ultrasonic waves, 323
Nagamatsu, K., Takemura, T., Yoshitomi, T., and Takemoto, T.: Effect of crystallinity on the viscoelastic properties of polyethylene, 515
Okamoto, H.: The threshold point of the phase separation of the system of heterogeneous polymer in mixed solvent and the problem of the polymer fractionation, 507
Okamura, S., Higashimura, T., and Imanishi, Y.: Solvent effects in the low temperature cationic polymerization of α-methylstyrene, 491
——, ——, and Yamamoto, H.: The stereospecific polymerization of alkyl vinyl ethers in the homogeneous system catalyzed by $BF_3.O(C_2H_5)_2$, 510
Okamura, S.: see Sakurada, Y.
Oosawa, F.: see Asakura, S.
Ovenall, D. W., Hastings, G. W., and Allen, P. E. M.: The degradation of polymer molecules in solution under the influence of ultrasonic waves. Part I. Kinetic analysis, 207
——: see Allen, P. E. M.
Passaglia, E., and Koppehele, H. P.: The strain dependence of stress relaxation in cellulose monofilaments, 281
Patterson, A., Jr.: see Wissbrun, K. F.
Port, W. S.: see Fee, J. G.
Porter, M. R.: The nitrosation of nylon, 447
Resnick, A. L.: see Chinai, S. N.
Robertson, W. G. P.: see Vale, R. L.
Roe, C. P., and Brass, P. D.: The rate of particle growth in persulfate initiated emulsion polymerization, *errata*, 470
Ryan, J. H.: see Hyde, A. J.
Sakurada, Y., Higashimura, T., and Okamura, S.: Termination and transfer reactions in cationic polymerization of styrene by Friedel-Crafts catalysts, 496
Schatzki, T. F.: see Hyde, A. J.
Schwen, R.: see Marvel, C. S.
Shashoua, V. E.: Static electricity in polymers. I. Theory and measurement, 65
——, and Beaman, R. G.: Microgel: An idealized polymer molecule, 101
——, and Van Holde, K. E.: Graft copolymers: Synthesis and characterization, *errata*, 486
Smets, G.: see Kockelbergh, G.
Stickney, P. B.: see Jones, F. B.
Storey, B. T., and Merrill, E. W.: The rheology of aqueous solutions of amylose and amylopectin with reference to molecular configuration and intermolecular association, 361
Strauss, U. P.: Huggins' constant in mixed solvents, 291
Strum, C. L.: see Fordham, J. W. L.
Takemoto, T.: see Nagamatsu, K.
Takemura, T.: see Nagamatsu, K.
Tichy, J. R.: Copolymerization of vinyl acetate–vinyl *n*-butyl ether, 353
Tobolsky, A. V.: see Van Hook, J. P.
Uelzmann, H.: Copolymers of acrylic acid and *N*-vinylpyrrolidone-2, 377
Ullman, R.: see Hittmair, P.
Unruh, C. C., and Laakso, T. M.: The copolymerization characteristics of ethyl α-acetoxyacrylate, 87
Vale, R. L., and Robertson, W. G. P.: Polymerization of vinyl acetate in the presence of bromoacetic acid, 518
Van Holde, K. E.: see Shashoua, V. E.
Van Hook, J. P., and Tobolsky, A. V.: The initiator efficiency of 2,2′-azobisisobutyronitrile in the polymerization of styrene and methyl methacrylate, and dicumyl peroxide as a polymerization initiator, 429
Vaughan, M. F.: Ultrafein filters as osmotic membranes, 417
Vonnegut, B.: see Moore, C. B.
Wall, F. T.: see Hyde, A. J.
Walsh, A.: see Andrews, E. H.
Wissbrun, K. F., and Patterson, A., Jr.: A study of the high field conductance of three polyelectrolytes, 235
——, and ——: A theory for the high field conductance of polyelectrolytes, 249
Witnauer, L. P.: see Fee, J. G.
Wong, R. K. L.: see Ihrig, J. L.
Woods, E. F.: see Harrap, B. S.
Yamamoto, H.: see Okamura, S.
Yoshitomi, T.: see Nagamatsu, K.
Zilkha, A., Calderon, N., and Frankel, M.: Studies on the low pressure polymerization of ethylene using catalysts containing sodium alkyls, 141

SUBJECT INDEX, VOLUME XXXIII

Acrylic acid, copolymers with *N*-vinylpyrrolidone-2, 377
Addition polymers, degradation by ultrasonic waves, 295, 311
Adhesion, measurement by blister method, 509
Alkyl vinyl ethers, stereospecific polymerization, 510
Amylopectin, rheology of, 361
Amylose, rheology of, 361
Bovine serum albumin, properties in formic acid, 521
N-Carboxyglycine anhydride, inhibition in polymerization of, 273
Catalysts, sodium alkyls for low pressure polymerization of ethylene, 141
Cationic polymerization, α-methylstyrene, 491
  styrene, 496
Cellulose, monofilaments, strain dependence of stress relaxation, 281
Conductances, high field, of polyelectrolytes, 235, 249
Crystallinity, effect on viscoelastic properties of polyethylene, 515
Cyclopolymerization, 7, 15, 513
Degradation, addition polymers by ultrasonic waves, 295, 311
  long chain molecules by ultrasonic waves, 323
  polymethacrylic acid, 493
  thermal, of polymethacrylonitrile, 171
  by ultrasonic waves, 207, 213
Dienes, copolymers with perfluoroalkyl propenyl ketones, 405
Dimethylpolysiloxanes, pyrolysis of, 153
Dynamic mechanical properties, irradiated polyethylene, 119
Emulsion polymerization, gel effect in, 487
  persulfate initiated, rate of particle growth in, 470
Ethyl α-acetoxyacrylate, copolymerization characteristics, 87
Ethylene, low pressure polymerization, 141
Excluded volume effect, in light scattering, 129
Fractionation, of polymers, 507
Graft copolymers, synthesis and characterization, 486
  viscosity and light-scattering measurements, 193
Gum arabic, purification and viscosity, 463
Huggins' constant, in mixed solvents, 291
Hydronopyl acrylate, polymers and copolymers, 27
Imine-ketene structures, formation and decomposition, 171
Infrared spectroscopy, polyethylene terephthalate, 161
Inhibition, in polymerization of *N*-carboxyglycine anhydride, 273
Initiators, 2,2′-azobisisobutyronitrile as, 429
  cyclic peroxides as, 381
  dicumyl peroxide as, 429
  persulfate as, 470
Interaction, of particles in solution, 183
Ionic grafting, 227
Irradiation, methyl methacrylate, and effect of low temperature on the leakage of charge, 491
  octadecyl vinyl ether and octadecyl methacrylate, molecular weight-viscosity relationship, 95
  polyethylene, dynamic mechanical properties, 119
Ketene-imine structures, formation and decomposition, 171
Ketones, α,β-unsaturated, 405
Light scattering, excluded volume effect in, 129
  graft copolymers, 193
  poly-*n*-octyl methacrylate, 471
Low pressure polymerization, ethylene, 141
Methyl methacrylate, irradiated, effect of low temperature on the leakage of charge, 491
  polymerization, 429
α-Methylstyrene, cationic polymerization, 491
Microgel, 101
Molecular weight, black wattle tannins, 53
  relationship to viscosity of gamma-irradiated octadecyl vinyl ether and octadecyl methacrylate, 95
Nitro compounds, aromatic, polymerization retardation by, 457
Nylon, nitrosation, 447
Nylon 66, formation of negatively birefringent spherulites, 389
Octadecyl methacrylate, gamma-irradiated, molecular weight–viscosity relationship, 95
Octadecyl vinyl ether, gamma-irradiated, molecular weight–viscosity relationship, 95
Osmotic membranes, ultrafein filters as, 417
Perfluoroalkyl propenyl ketones, copolymers with dienes, 405
Peroxides, cyclic, as initiators, 381
Polyacrylic anhydride, cyclopolymerization, 15
Polyalkyl methacrylates, anomalous behavior with polyvinyl chloride, 524
Poly-allocimene, cyclopolymerization, 513
Polybenzylidene, preparation and properties, 21

Polydiacrylylmethane, cyclopolymerization, 7
Polyethylene, irradiated, dynamic mechanical properties, 119
stress cracking, 505
viscoelastic properties, 515
Polyethylene terephthalate, infrared spectroscopy, 161
Polymethacrylic acid, degradation, 493
Polymethacrylonitrile, thermal degradation, 171
Poly-*n*-octyl methacrylate, viscosity and light scattering, 471
Polyvinyl alcohol, viscosity, 486
Polyvinyl chloride, interaction with solvent, 500
Pyrolysis, dimethylpolysiloxanes, 153
Retardation, by aromatic nitro compounds, 457
Rheology, amylose and amylopectin, 361
Rubbers, carbon-loaded, rupture process in, 39
Static electricity, in polymers, 65
Stereospecific polymerization, alkyl vinyl ethers, 510
Stress relaxation, cellulose monofilaments, 281
Styrene, cationic polymerization, 496
polymerization, 429
Tannins, black wattle, molecular weight of, 53
Tensile strength, filled GR-S vulcanizates, 259
Trialkylboron initiated polymerization, mechanism, 503
Ultrafein filters, as osmotic membranes, 417
Ultrasonic waves, degradation by, 207, 213
for degradation of addition polymers, 295, 311
for degradation of long chain molecules, 323
Vinyl acetate, copolymerization with vinyl *n*-butyl ether, 353
polymerization in presence of bromoacetic acid, 518
Vinyl *n*-butyl ether, copolymerization with vinyl acetate, 353
N-Vinylpyrrolidone-2, copolymers with acrylic acid, 377
Viscoelastic properties, polyethylene, 515
Viscosity, graft copolymers, 193
gum arabic, 463
poly-*n*-octyl methacrylate, 471
polyvinyl alcohol, 486
relationship to molecular weight of gamma-irradiated octadecyl vinyl ether and octadecyl methacrylate, 95
Vulcanizates, GRS-, tensile strength of, 259
Water-insoluble polymers, dissolution, 337